SKU: 04654

# INTENSE LINE SMITH CAGE

USER MANUAL



It is with great pleasure that we offer you the opportunity, guidance and encouragement to practice aerobic and muscular exercises, getting like this, the physical preparation needed to feel good.

We guarantee a reliable and modern product, produced with high technology for people who care about their well-being.

This manual covers the main information, the basic structure and the main operation and preventive maintenance. It will help you familiarize yourself with all the equipment functions, for you enjoy it for a long time.



## **ATTENTION**

Carefully read the safety and usage guidelines contained herein. Follow the guidelines for correct assembly of the product.

Caution: Do not push any objects into the openings of the product. Stay clear of moving parts.

**Safety and security:** it is the owner's responsibility to ensure that all users are properly informed about safety precautions, use, maintenance and care of the product.



Inappropriate use for children and animals.



## **COMPONENTS AND TECHNICAL SPECIFICATIONS**



| Product                  |        | Packaged            |        |
|--------------------------|--------|---------------------|--------|
| Net weight (approximate) | 179Kg  | Gross weight        | 214Kg  |
| Maximum width            |        | Width (carton box)  | 2270mm |
| Maximum length           | 2140mm | Height (carton box) | 1320mm |
| Maximum height           | 2290mm | Lenght (carton box) | 880mm  |

### **ASSEMBLY**




NOTE: Place the packaging with the equipment on a level surface. It is recommended that you place a protective cover for your floor. Exercise caution when you are loading and transporting equipment. Unpack and assemble the equipment where it will be used.

If necessary, ask the help of someone else.


### PART LIST (INDIVIDUALLY PACKAGED)




| Step NO | Item NO | Name                       | Qty | Item NO | Name                               | Qty |
|---------|---------|----------------------------|-----|---------|------------------------------------|-----|
|         | NO.1    | Large frame assembly       |     | А       | M10*130<br>Cylindrical head screws | 12  |
| 1       | NO.2    | Front connection assembly  |     | В       | Ф10Gasket                          | 12  |
|         | NO.3    | Rear connection components |     | С       | M10Anti-loosening nuts             | 12  |



|         | NO.1 Large frame welding assembly*2PCS |                               |     |         |                                   |     |  |  |
|---------|--|-------------------------------|-----|---------|-----------------------------------|-----|--|--|
| Step NO | Item NO                                | Name                          | Qty | Item NO | Name                              | Qty |  |  |
|         | NO.20                                  | Stainless steel hooks         | 1   | NO.24   | Ф105pulley                        | 1   |  |  |
|         | NO.21                                  | Spacer                        | 2   | NO.25   | Pipe Plug                         | 2   |  |  |
|         | NO.22                                  | New foot mats                 | 2   | F       | M10*90Cylindrical<br>head screws  | 1   |  |  |
|         | NO.23                                  | Foot Pad Cap Guard            | 2   | G       | M10*115Cylindrical<br>head screws | 1   |  |  |
|         | Н                                      | M10X25Cylindrical head screws | 4   | С       | M10Anti-loosening nuts            | 2   |  |  |
|         |  |                               |     | В       | Ф10Gasket                         | 6   |  |  |




| Step NO | Item NO | Name                 | Qty | Item NO | Name                                 | Qty |
|---------|---------|----------------------|-----|---------|--------------------------------------|-----|
|         | NO.26   | Cap front cover      | 1   | J       | M6*16Flat countersunk<br>head screws | 1   |
|         | NO.27   | Cap Back Cover       | 1   | NO.30   | Aluminum cap                         | 1   |
|         | NO.28   | Copper Bushing       | 2   | NO.31   | Little yellow circle                 | 1   |
|         | NO.29   | Φ25It can't be torn. | 1   | NO.32   | Aluminum cover                       | 1   |
|         | NO.34   | Big Yellow Circle    | 1   | NO.35   | Aluminum Ring                        | 1   |




| Step NO | Item NO | Name                   | Qty | Item NO | Name           | Qty      |
|---------|---------|------------------------|-----|---------|----------------|----------|
|         | NO.6    | Push-up guide assembly | 2   | NO.11   | Guide Rod      | 2        |
| 2       | NO.7    | Promotional components | 1   | NO.15   | Guide Rod Pads | 6        |
|         | NO.8    | Fuse assembly          | 2   |         |                |          |
|         |         | 7                      |     |         |                | <u> </u> |

| Step NO | Item NO | Name                   | Qty | Item NO | Name | Qty |
|---------|---------|------------------------|-----|---------|------|-----|
|         | NO.4    | Counterweight assembly | 2   |         |      |     |
| 3       |         |                        |     |         |      |     |
|         |         |                        |     |         |      |     |




Wire rope alignment diagram

| Step NO | Item NO | Name                | Qty | Item NO | Name                                | Qty |
|---------|---------|---------------------|-----|---------|-------------------------------------|-----|
|         | NO.14   | Rubber Cover        | 2   | А       | M10*130Cylindrical head screws      | 12  |
|         | NO.10   | Guard plate-1       | 1   | В       | Ф10Gasket                           | 12  |
| 4 [     | NO.9    | Guard plate         | 1   | С       | M10Anti-loosening nuts              | 12  |
|         | NO.8    | Gun barrel assembly | 6   | D       | 5*8Crossed pan round<br>head screws | 20  |
|         | NO.16   | Rubber Ring         | 2   | E       | M6*10Half round head screws         | 4   |




| NO.4 Counterweight assembly*2 pcs |         |              |     |         |      |     |
|-----------------------------------|---------|--------------|-----|---------|------|-----|
| Step NO                           | Item NO | Name         | Qty | Item NO | Name | Qty |
|                                   | NO.36   | Nylon sleeve | 4   |         |      |     |
|                                   |         |              |     |         |      |     |
|                                   |         |              |     |         |      |     |



# NO.5 Gun barrel subassembly\*6pcs

| Step NO | Item NO | Name                      | Qty | Item NO | Name | Qty |
|---------|---------|---------------------------|-----|---------|------|-----|
|         | NO.16   | Rubber Ring               | 1   |         |      |     |
|         | NO.37   | Stainless steel pipe plug | 1   |         |      |     |
|         |         |                           |     |         |      |     |



### **General Warranty Conditions**

- **A.** The warranty service will only be provided on presentation of the original invoice or receipt and within the limits set out in this term. The warranty will be provided by the Authorized Technical Assistance Network, which covers the main cities in the country. To activate the warranty, the customer must contact the authorized Athletic distributor in their country directly.
- **B.** The conditions set out in this contract are guaranteed to the first purchaser and user of this product, in accordance with legal and contractual provisions. The customer should consult the Athletic distributor in the country of purchase for detailed information on warranty coverage and service.
- **C.** The warranty will be valid from the date of issue of the invoice or sales receipt, as directed by the Athletic distributor in your country.
- **D.** Parts repaired or exchanged under this warranty do not interrupt or extend the warranty period originally stipulated. The warranty period will continue to run from the date of issue of the invoice or sales receipt.
- **E.** To benefit from this warranty, the equipment must have been installed by an authorized technical assistant, except for products for residential use only, which can be installed by the user themselves, according to the manufacturer's instructions.
- **F.** The warranty does not cover installation services or preventive maintenance, such as cleaning, lubricating and adjusting the product. These services are the responsibility of the user and must be carried out in accordance with the manufacturer's recommendations.
- **G.** The Manufacturer/Distributor undertakes to keep spare parts available for product maintenance as long as it continues to manufacture or import the equipment. In the event that production or importation of the equipment is discontinued, the Manufacturer/Distributor undertakes to maintain the supply of spare parts for 5 years, to ensure the continued maintenance of the product.

### **Extinction of Warranty:**

This warranty shall be deemed void when: **A.** Its normal validity period has expired.

- **B.** The equipment has been delivered for repair by persons not authorized by the Manufacturer/Distributor, or if there are signs of violation of its original characteristics, or when there is improper assembly, outside the factory standards.
- C. Damage resulting from misuse, use of unsuitable cleaning products, oxidation from external agents (such as humidity or prolonged exposure to the open air), negligence, unauthorized modifications, use of non- recommended accessories, falls, punctures, use and installation not in accordance with the instruction manual, electrical wiring with unsuitable voltages, lack of grounding in networks of unsuitable size and/or excessive fluctuations and overloads.
- **D.** For the residential line, any type of maintenance carried out by the user or by unauthorized third parties, other than those from the authorized technical assistance network, is prohibited.
- **E.** The product has been used in gyms, condominiums, clinics, clubs, saunas, submerged in water, or in any way other than the intended use of the product, or in conditions that go beyond the intended use of the equipment, as specified in the product manual.

#### Observations:

- **A.** Cables, carabiners, pedals and other components that come with the product must be replaced annually to ensure the safety and proper functioning of the equipment.
- **B.** The Manufacturer/Distributor shall not be held liable for any accidents and their consequences if the equipment is not in conformity with its original characteristics or if it is assembled outside the factory standard.
- **C.** Liability for incorrect use of the equipment, and the costs of unfounded calls (when the service department is called improperly or without justified cause), will be the responsibility of the customer, and the corresponding costs will be charged.
- **Note:** The Manufacturer/Distributor reserves the right to make changes to the product or warranty conditions without prior notice in order to improve product quality or meet new legal and market requirements.

# Athletic